



New! Intershield One-2-One

This new Surface Tolerant Universal Primer provides the ideal onboard maintenance (OBM) solution to maximizing your operational efficiency and vessel performance, while eliminating paint wastage.



Best-in-class anticorrosive performance



5L equal mixing packs for reduced wastage



Surface tolerant universal primer

A surface tolerant universal pure epoxy primer for use as an anticorrosive coating providing excellent corrosion protection. Intershield One-2-One is a crewfriendly onboard maintenance two-pack universal primer, specifically engineered to a 1:1 mix ratio, offering simplified mixing and reduced wastage.

Certificates

Food Contact – Carriage of Grain (NOHH) Food Contact – FDA compliant: Dry Foodstuffs

Potable water - BS6920*

Water Ballast Tank - PSPC WBT TAC*

*Tested to this standard. Consult local IP representative for details

Benefits Universal primer allows the replacement of several products with a single Surface tolerant Universal application for all product that meets all the required OBM characteristics as well as meeting vessel areas at OBM including ballast tanks. the service performance expectation of the vessel operator. Simplified 1:1 mix ratio meaning reduced paint wastage from Crew friendly small pack sizes available in incorrect mixing and partially used tins. "Equal" mix ratio. More efficient utilization of purchased coatings. Excellent long term corrosion prevention and Designed to prevent the onset and progression of costly corrosion and to resistance to mechanical damage. protect steel integrity whilst operating in harsh corrosive environments. Low temperature cure and year Simplified maintenance and repair procedures allowing greater flexibility in round workability. maintenance scheduling and optimizing of crew time and expenditure.



Unrivalled global network

With more than 165 stock points and over 500 delivery points in key ports all over the world, you can rely on us to deliver your seastores products, exactly when and where you need them.

The topsides, external decks, superstructure and cargo holds are an important advertisement for any operator and may be judged as an indicator of the general standard of vessel maintenance and operation.

Our comprehensive package of durable, easy-to-apply, competitively priced anticorrosive primers and finishes, including our new Intershield $_{\odot}$ One-2-One and 'Interstores' products, are designed to keep vessel maintenance at sea, simple and cost effective.

In stock when you need it

Trading patterns can be unpredictable so, as the biggest marine coatings supplier in the world, we have the size and network* to ensure that the right products are in the right place at the right time.

Whether you order by phone, email or via online transaction through the maritime e-procurement portal ShipServ, our customer service team take pride in delivering a consistent service, globally.

We'll help to plan your order

Our specialist seastores account teams will analyse your purchasing history, trading routes and schedule to create a plan of the most economic pick-up locations and lead-times tailored to your needs, to help optimise savings on your seastores inventory.

What colour and finish would you like?

With Chromascan, our advanced colour system, we can match your in-house colour exactly. With over 200 Chromascan centres worldwide, we aim to dispatch customised colours within 48 hours to where you need them.**

Coverage	Full seastores range	Interstores
Global†	2 day lead time	2 day lead time
Regional ^{††}	4 day lead time	-
Local	Contact local sales rep	-

- † Major global shipping ports.
- †† Major ports of regional importance.
- * For the full list of ports, contact your local sales representative.
- ** Within 48 hours of our colour laboratories receiving any necessary sample(s) and depending on customer location relative to the warehouse / distributor.

The seastores range

From specialised high performance products for outstanding cosmetics, corrosion protection, heat resistance and surface tolerance, to our everyday easy-to-use and easy-to-apply new Interstores coatings, our comprehensive seastores range is designed to protect, maintain and enhance your image.

For cosmetic finishes:		
Interlac _® 665	Single pack high gloss durable alkyd finish.	
Intersheen _® 579	Versatile, fast drying single pack acrylic finish.	
Intergard _® 740	Hard wearing, high gloss epoxy finish providing chemical resistance.	
Interthane® 990	High performance, high gloss acrylic polyurethane for excellent durability and long term re-coatability.	

For high traffic and cargo carrying spaces:

Interbond® 201 Economical surface tolerant, multi-purpose epoxy primer/finish.

To prime hand-prepared steel:

Interprime_® 198 Quick drying, surface tolerant multi-purpose single pack primer.

For damp surfaces and hard to reach areas:

Interbond_® 808 Surface tolerant high performing epoxy anti-corrosive.

For long term corrosion protection: Intershield® 300 Abrasion resistant, aluminium pure epoxy anti-corrosive. Intershield® One-2-One Surface tolerant universal primer.

For high temperature surfaces:		
Intertherm _® 891	Light reflective, high temperature resistant (up to 240°c) primer/finish.	
Intertherm _® 50	Light reflective, high temperature resistant (up to 540°c) resistant coating.	



Interstores

Interstores Alkyd:

Single pack glossy finish.

Suitable for all substrates above the waterline.

Specially formulated for flawless roller and brush application.

Easily re-coatable.

Available in 6 colours. *

Interstores Polyurethane:

Two pack glossy finish.

Suitable for use on topsides, external decks and superstructures.

Good durability.

Available in 6 colours. **

Interstores Epoxy Primer:

Fast drying (2 hours touch dry).

Good opacity.

Formulated for good brush and roller application properties.

Ideal for use in high traffic areas.

Available in 3 colours.***

Complementing our seastores range, our Interstores products are designed to keep OBM SIMPLE. With just three products and six colours, new Interstores reduces complexity on board, is compatible with all existing coating systems and is easy to apply.

Interstores products have been specially designed for brush and roller application whilst at sea.

This range forms part of our new streamlined 'port and product offer', which ensures Interstores are available in the world's major ports – keeping lead times to a minimum.

- * white, black, red, green, grey, surf grey
- ** white, black, red, signal green, storm grey, surf grey
- *** red, signal green, storm grey

International is the brand of AkzoNobel's Marine and Protective Coatings business. AkzoNobel is a leading global paints and coatings company and a major producer of specialty chemicals.

Global Headquarters International Paint Singapore Pte Ltd 21 Tuas South Street 3 Singapore 638023

Call: +65 6594 8800 Fax: +65 6594 8897 Send an email:

marine.communication@akzonobel.com

Visit our website:

www.international-marine.com/seastores

Sign up to keep up to date with our latest news visit www.international-marine.com/signup













Important Notes:

All representations and statements concerning the product(s) in this publication are accurate to the best of our knowledge. Statements made in this publication are advisory only and are not intended to be specific recommendations or warranties of any kind. To the extent permitted by law, we do not accept any liability to any person for any loss or damage (direct or indirect) that may arise from any use or reliance on any of the methods or information contained in this publication for any purpose.

Unless otherwise agreed in writing, all products supplied and technical advice or recommendations given are subject to our Conditions of Sale.

For each of our products the relevant Product Data Sheet, Material Safety Data Sheet and package labelling comprise an integral information system about the product in question. Copies of our Product Data Sheets and Material Safety Data Sheets are available on request or from our website: www.international-marine.com

X and International and all products mentioned in this publication are trademarks of, or are licensed to, AkzoNobel. © AkzoNobel 2016



This brochure is:



Fully recyclable and



ISO 14001 Produced at a mill that holds ISO 14001 certification



on to a colleague or recycle